

Linear series







CB CE  RoHS FLICKER FREE

Sections


Pendant series




Recessed series



Corners



Accessories



Ordering code for Linear series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LPXX60	LP4060-L-500	H60xW40xL500	4	400	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LP4060-L-600	H60xW40xL600	4.5	450						
	LP4060-L-700	H60xW40xL700	5	500						
	LP4060-L-800	H60xW40xL800	6	600						
	LP4060-L-900	H60xW40xL900	7	700						
	LP4060-L-1000	H60xW40xL1000	7.5	750						
	LP4060-L-1100	H60xW40xL1100	8	800						
	LP4060-L-1200	H60xW40xL1200	9	900						
	LP4060-L-1300	H60xW40xL1300	10	1000						
	LP4060-L-1400	H60xW40xL1400	10.5	1050						
	LP4060-L-1500	H60xW40xL1500	11.5	1150						
	LP4060-L-1600	H60xW40xL1600	12.5	1250						
	LP4060-L-1700	H60xW40xL1700	13	1300						
	LP4060-L-1800	H60xW40xL1800	14	1400						
	LP4060-L-1900	H60xW40xL1900	15	1500						
	LP4060-L-2000	H60xW40xL2000	15.5	1550						
	LP4060-L-2100	H60xW40xL2100	16	1600						
	LP4060-L-2200	H60xW40xL2200	17	1700						
	LP4060-L-2300	H60xW40xL2300	18	1800						
	LP4060-L-2400	H60xW40xL2400	19	1900						
	LP6060-L-500	H60xW60xL500	9	900						
	LP6060-L-600	H60xW60xL600	10	1000						
	LP6060-L-700	H60xW60xL700	12	1200						
	LP6060-L-800	H60xW60xL800	14	1400						
	LP6060-L-900	H60xW60xL900	16	1600						
	LP6060-L-1000	H60xW60xL1000	17	1700						
	LP6060-L-1100	H60xW60xL1100	19	1900						
	LP6060-L-1200	H60xW60xL1200	21	2100						
	LP6060-L-1300	H60xW60xL1300	23	2300						
	LP6060-L-1400	H60xW60xL1400	25	2500						
	LP6060-L-1500	H60xW60xL1500	26	2600						
	LP6060-L-1600	H60xW60xL1600	28	2800						
LP6060-L-1700	H60xW60xL1700	30	3000							
LP6060-L-1800	H60xW60xL1800	31	3100							
LP6060-L-1900	H60xW60xL1900	33	3300							
LP6060-L-2000	H60xW60xL2000	35	3500							
LP6060-L-2100	H60xW60xL2100	37	3700							
LP6060-L-2200	H60xW60xL2200	39	3900							
LP6060-L-2300	H60xW60xL2300	40	4000							
LP6060-L-2400	H60xW60xL2400	42	4200							

Ordering code for Linear series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LPXX80	LP4080-L-500	H80xW40xL500	4	400	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LP4080-L-600	H80xW40xL600	4.5	450						
	LP4080-L-700	H80xW40xL700	5	500						
	LP4080-L-800	H80xW40xL800	6	600						
	LP4080-L-900	H80xW40xL900	7	700						
	LP4080-L-1000	H80xW40xL1000	7.5	750						
	LP4080-L-1100	H80xW40xL1100	8	800						
	LP4080-L-1200	H80xW40xL1200	9	900						
	LP4080-L-1300	H80xW40xL1300	10	1000						
	LP4080-L-1400	H80xW40xL1400	10.5	1050						
	LP4080-L-1500	H80xW40xL1500	11.5	1150						
	LP4080-L-1600	H80xW40xL1600	12.5	1250						
	LP4080-L-1700	H80xW40xL1700	13	1300						
	LP4080-L-1800	H80xW40xL1800	14	1400						
	LP4080-L-1900	H80xW40xL1900	15	1500						
	LP4080-L-2000	H80xW40xL2000	15.5	1550						
	LP4080-L-2100	H80xW40xL2100	16	1600						
	LP4080-L-2200	H80xW40xL2200	17	1700						
	LP4080-L-2300	H80xW40xL2300	18	1800						
	LP4080-L-2400	H80xW40xL2400	19	1900						
	LP8080-L-500	H80xW80xL500	13	1300						
	LP8080-L-600	H80xW80xL600	16	1600						
	LP8080-L-700	H80xW80xL700	19	1900						
	LP8080-L-800	H80xW80xL800	22	2200						
	LP8080-L-900	H80xW80xL900	24	2400						
	LP8080-L-1000	H80xW80xL1000	27	2700						
	LP8080-L-1100	H80xW80xL1100	30	3000						
	LP8080-L-1200	H80xW80xL1200	32	3200						
	LP8080-L-1300	H80xW80xL1300	35	3500						
	LP8080-L-1400	H80xW80xL1400	38	3800						
	LP8080-L-1500	H80xW80xL1500	41	4100						
	LP8080-L-1600	H80xW80xL1600	43	4300						
LP8080-L-1700	H80xW80xL1700	46	4600							
LP8080-L-1800	H80xW80xL1800	49	4900							
LP8080-L-1900	H80xW80xL1900	51	5100							
LP8080-L-2000	H80xW80xL2000	54	5400							
LP8080-L-2100	H80xW80xL2100	57	5700							
LP8080-L-2200	H80xW80xL2200	59	5900							
LP8080-L-2300	H80xW80xL2300	62	6200							
LP8080-L-2400	H80xW80xL2400	65	6500							

Linear

Ordering code for Linear series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LPXX80	LP6080-L-500	H80xW60xL500	9	900	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LP6080-L-600	H80xW60xL600	10	1000						
	LP6080-L-700	H80xW60xL700	12	1200						
	LP6080-L-800	H80xW60xL800	14	1400						
	LP6080-L-900	H80xW60xL900	16	1600						
	LP6080-L-1000	H80xW60xL1000	17	1700						
	LP6080-L-1100	H80xW60xL1100	19	1900						
	LP6080-L-1200	H80xW60xL1200	21	2100						
	LP6080-L-1300	H80xW60xL1300	23	2300						
	LP6080-L-1400	H80xW60xL1400	25	2500						
	LP6080-L-1500	H80xW60xL1500	26	2600						
	LP6080-L-1600	H80xW60xL1600	28	2800						
	LP6080-L-1700	H80xW60xL1700	30	3000						
	LP6080-L-1800	H80xW60xL1800	31	3100						
	LP6080-L-1900	H80xW60xL1900	33	3300						
	LP6080-L-2000	H80xW60xL2000	35	3500						
	LP6080-L-2100	H80xW60xL2100	37	3700						
	LP6080-L-2200	H80xW60xL2200	39	3900						
	LP6080-L-2300	H80xW60xL2300	40	4000						
	LP6080-L-2400	H80xW60xL2400	42	4200						
	LP6080-L-500-U	H80xW60xL500	9+3	1200						
	LP6080-L-600-U	H80xW60xL600	10+3	1300						
	LP6080-L-700-U	H80xW60xL700	12+4	1600						
	LP6080-L-800-U	H80xW60xL800	14+4	1800						
	LP6080-L-900-U	H80xW60xL900	16+5	2100						
	LP6080-L-1000-U	H80xW60xL1000	17+6	2300						
	LP6080-L-1100-U	H80xW60xL1100	19+6	2500						
	LP6080-L-1200-U	H80xW60xL1200	21+7	2800						
	LP6080-L-1300-U	H80xW60xL1300	23+7	3000						
	LP6080-L-1400-U	H80xW60xL1400	25+8	3300						
	LP6080-L-1500-U	H80xW60xL1500	26+8	3400						
	LP6080-L-1600-U	H80xW60xL1600	28+9	3700						
LP6080-L-1700-U	H80xW60xL1700	30+10	4000							
LP6080-L-1800-U	H80xW60xL1800	31+10	4100							
LP6080-L-1900-U	H80xW60xL1900	33+11	4400							
LP6080-L-2000-U	H80xW60xL2000	35+12	4700							
LP6080-L-2100-U	H80xW60xL2100	37+12	4900							
LP6080-L-2200-U	H80xW60xL2200	39+13	5200							
LP6080-L-2300-U	H80xW60xL2300	40+13	5300							
LP6080-L-2400-U	H80xW60xL2400	42+14	5600							

Ordering code for Linear series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LRXX35	LR6035-L-500	H35xW60xL500	4	400	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LR6035-L-600	H35xW60xL600	4.5	450						
	LR6035-L-700	H35xW60xL700	5	500						
	LR6035-L-800	H35xW60xL800	6	600						
	LR6035-L-900	H35xW60xL900	7	700						
	LR6035-L-1000	H35xW60xL1000	7.5	750						
	LR6035-L-1100	H35xW60xL1100	8	800						
	LR6035-L-1200	H35xW60xL1200	9	900						
	LR6035-L-1300	H35xW60xL1300	10	1000						
	LR6035-L-1400	H35xW60xL1400	10.5	1050						
	LR6035-L-1500	H35xW60xL1500	11.5	1150						
	LR6035-L-1600	H35xW60xL1600	12.5	1250						
	LR6035-L-1700	H35xW60xL1700	13	1300						
	LR6035-L-1800	H35xW60xL1800	14	1400						
	LR6035-L-1900	H35xW60xL1900	15	1500						
	LR6035-L-2000	H35xW60xL2000	15.5	1550						
	LR6035-L-2100	H35xW60xL2100	16	1600						
	LR6035-L-2200	H35xW60xL2200	17	1700						
	LR6035-L-2300	H35xW60xL2300	18	1800						
	LR6035-L-2400	H35xW60xL2400	19	1900						
	LR8035-L-500	H35xW80xL500	9	900						
	LR8035-L-600	H35xW80xL600	10	1000						
	LR8035-L-700	H35xW80xL700	12	1200						
	LR8035-L-800	H35xW80xL800	14	1400						
	LR8035-L-900	H35xW80xL900	16	1600						
	LR8035-L-1000	H35xW80xL1000	17	1700						
	LR8035-L-1100	H35xW80xL1100	19	1900						
	LR8035-L-1200	H35xW80xL1200	21	2100						
	LR8035-L-1300	H35xW80xL1300	23	2300						
	LR8035-L-1400	H35xW80xL1400	25	2500						
	LR8035-L-1500	H35xW80xL1500	26	2600						
	LR8035-L-1600	H35xW80xL1600	28	2800						
LR8035-L-1700	H35xW80xL1700	30	3000							
LR8035-L-1800	H35xW80xL1800	31	3100							
LR8035-L-1900	H35xW80xL1900	33	3300							
LR8035-L-2000	H35xW80xL2000	35	3500							
LR8035-L-2100	H35xW80xL2100	37	3700							
LR8035-L-2200	H35xW80xL2200	39	3900							
LR8035-L-2300	H35xW80xL2300	40	4000							
LR8035-L-2400	H35xW80xL2400	42	4200							

Linear

Ordering code for Linear series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LRXX75	LR6075-L-500	H75xW60xL500	4	400	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LR6075-L-600	H75xW60xL600	4.5	450						
	LR6075-L-700	H75xW60xL700	5	500						
	LR6075-L-800	H75xW60xL800	6	600						
	LR6075-L-900	H75xW60xL900	7	700						
	LR6075-L-1000	H75xW60xL1000	7.5	750						
	LR6075-L-1100	H75xW60xL1100	8	800						
	LR6075-L-1200	H75xW60xL1200	9	900						
	LR6075-L-1300	H75xW60xL1300	10	1000						
	LR6075-L-1400	H75xW60xL1400	10.5	1050						
	LR6075-L-1500	H75xW60xL1500	11.5	1150						
	LR6075-L-1600	H75xW60xL1600	12.5	1250						
	LR6075-L-1700	H75xW60xL1700	13	1300						
	LR6075-L-1800	H75xW60xL1800	14	1400						
	LR6075-L-1900	H75xW60xL1900	15	1500						
	LR6075-L-2000	H75xW60xL2000	15.5	1550						
	LR6075-L-2100	H75xW60xL2100	16	1600						
	LR6075-L-2200	H75xW60xL2200	17	1700						
	LR6075-L-2300	H75xW60xL2300	18	1800						
	LR6075-L-2400	H75xW60xL2400	19	1900						
	LR8075-L-500	H75xW80xL500	9	900						
	LR8075-L-600	H75xW80xL600	10	1000						
	LR8075-L-700	H75xW80xL700	12	1200						
	LR8075-L-800	H75xW80xL800	14	1400						
	LR8075-L-900	H75xW80xL900	16	1600						
	LR8075-L-1000	H75xW80xL1000	17	1700						
	LR8075-L-1100	H75xW80xL1100	19	1900						
	LR8075-L-1200	H75xW80xL1200	21	2100						
	LR8075-L-1300	H75xW80xL1300	23	2300						
	LR8075-L-1400	H75xW80xL1400	25	2500						
	LR8075-L-1500	H75xW80xL1500	26	2600						
	LR8075-L-1600	H75xW80xL1600	28	2800						
LR8075-L-1700	H75xW80xL1700	30	3000							
LR8075-L-1800	H75xW80xL1800	31	3100							
LR8075-L-1900	H75xW80xL1900	33	3300							
LR8075-L-2000	H75xW80xL2000	35	3500							
LR8075-L-2100	H75xW80xL2100	37	3700							
LR8075-L-2200	H75xW80xL2200	39	3900							
LR8075-L-2300	H75xW80xL2300	40	4000							
LR8075-L-2400	H75xW80xL2400	42	4200							

Ordering code for Linear series-Pendant corners

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LCXX60 LPXX60	CN4060-L-90	H60xW200xL200	3	300	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	CN5060-L-90	H60xW200xL200	3	300						
	CN6060-L-90	H60xW200xL200	7	700						
	CN8060-L-90	H60xW200xL200	10	1000						
	CN4060-LO-90	H60xW200xL200	3	300						
	CN5060-LO-90	H60xW200xL200	3	300						
	CN6060-LO-90	H60xW200xL200	7	700						
	CN8060-LO-90	H60xW200xL200	10	1000						
	CN4060-LI-90	H60xW200xL200	3	300						
	CN5060-LI-90	H60xW200xL200	3	300						
	CN6060-LI-90	H60xW200xL200	7	700						
	CN8060-LI-90	H60xW200xL200	10	1000						
	CN4060-T	H60xW200xL400	4	400						
	CN5060-T	H60xW200xL400	4	400						
	CN6060-T	H60xW200xL400	10	1000						
	CN8060-T	H60xW200xL400	16	1600						
	CN4060-X	H60xW400xL400	6	600						
	CN5060-X	H60xW400xL400	6	600						
	CN6060-X	H60xW400xL400	14	1400						
	CN8060-X	H60xW400xL400	21	2100						
LCXX80 LPXX80	CN4080-L-90	H80xW200xL200	3	300	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	CN5080-L-90	H80xW200xL200	3	300						
	CN6080-L-90	H80xW200xL200	7	700						
	CN8080-L-90	H80xW200xL200	10	1000						
	CN4080-LO-90	H80xW200xL200	3	300						
	CN5080-LO-90	H80xW200xL200	3	300						
	CN6080-LO-90	H80xW200xL200	7	700						
	CN8080-LO-90	H80xW200xL200	10	1000						
	CN4080-LI-90	H80xW200xL200	3	300						
	CN5080-LI-90	H80xW200xL200	3	300						
	CN6080-LI-90	H80xW200xL200	7	700						
	CN8080-LI-90	H80xW200xL200	10	1000						
	CN4080-T	H80xW200xL400	4	400						
	CN5080-T	H80xW200xL400	4	400						
	CN6080-T	H80xW200xL400	10	1000						
	CN8080-T	H80xW200xL400	16	1600						
	CN4080-X	H80xW400xL400	6	600						
	CN5080-X	H80xW400xL400	6	600						
	CN6080-X	H80xW400xL400	14	1400						
	CN8080-X	H80xW400xL400	21	2100						

Ordering code for Linear series-Recessed corners

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LRXX35	CN6035-L-90	H35xW200xL200	3	300	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	CN7035-L-90	H35xW200xL200	3	300						
	CN8035-L-90	H35xW200xL200	7	700						
	CN10035-L-90	H35xW200xL200	10	1000						
	CN6035-LO-90	H35xW200xL200	3	300						
	CN7035-LO-90	H35xW200xL200	3	300						
	CN8035-LO-90	H35xW200xL200	7	700						
	CN10035-LO-90	H35xW200xL200	10	1000						
	CN6035-LI-90	H35xW200xL200	3	300						
	CN6035-LI-90	H35xW200xL200	3	300						
	CN8035-LI-90	H35xW200xL200	7	700						
	CN10035-LI-90	H35xW200xL200	10	1000						
	CN6035-T	H35xW200xL400	4	400						
	CN7035-T	H35xW200xL400	4	400						
	CN8035-T	H35xW200xL400	10	1000						
	CN10035-T	H35xW200xL400	16	1600						
	CN6035-X	H35xW400xL400	6	600						
	CN7035-X	H35xW400xL400	6	600						
CN8035-X	H35xW400xL400	14	1400							
CN10035-X	H35xW400xL400	21	2100							
LRXX75	CN6075-L-90	H75xW200xL200	3	300	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	CN7075-L-90	H75xW200xL200	3	300						
	CN8075-L-90	H75xW200xL200	7	700						
	CN10075-L-90	H75xW200xL200	10	1000						
	CN6075-LO-90	H75xW200xL200	3	300						
	CN7075-LO-90	H75xW200xL200	3	300						
	CN8075-LO-90	H75xW200xL200	7	700						
	CN10075-LO-90	H75xW200xL200	10	1000						
	CN6075-LI-90	H75xW200xL200	3	300						
	CN7075-LI-90	H75xW200xL200	3	300						
	CN8075-LI-90	H75xW200xL200	7	700						
	CN10075-LI-90	H75xW200xL200	10	1000						
	CN6075-T	H75xW200xL400	4	400						
	CN7075-T	H75xW200xL400	4	400						
	CN8075-T	H75xW200xL400	10	1000						
	CN10075-T	H75xW200xL400	16	1600						
	CN6075-X	H75xW400xL400	6	600						
	CN7075-X	H75xW400xL400	6	600						
CN8075-X	H75xW400xL400	14	1400							
CN10075-X	H75xW400xL400	21	2100							